

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	9	((("20020198029") or ("20030073462") or ("20030044000") or ("5758267") or ("20040080487") or ("6686931") or ("20030148772") or ("20040026136") or ("20030107555")).PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/10/26 17:02
S1	37	Bear-Eric\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 13:41
S2	14	Vong-William.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 13:41
S3	20	Teasley-Barbee\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 13:41
S4	142	Keely-Leroy\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 13:42
S5	23	Richardson-Adam\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 13:42
S6	40	Tsang-Michael\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 13:42
S7	33	Fogarty-Michael\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 13:43
S8	86	Hinckley-Kenneth\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 13:43
S9	3	S1 and logically adj remap \$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 13:44
S10	3	S1 and logical adj buttons	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 13:44
S11	3	S1 and determin\$3 near2 orientation	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 13:44
S12	0	S2 and logically adj remap \$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 13:44

S13	5	S3 and logically adj remap \$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 13:45
S14	4	S4 and logically adj remap \$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 13:45
S15	5	S5 and logically adj remap \$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 13:45
S16	3	S6 and logically adj remap \$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 13:45
S17	3	S7 and logically adj remap \$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 13:45
S18	1	S8 and logically adj remap \$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 13:45
S19	37	Bear-Eric\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 14:56
S20	23	logic\$4 near3 (remap\$4 index\$3) near3 (instruction command)	EPO; JPO; DERWENT	OR	ON	2008/10/25 14:58
S21	6	logic\$4 near3 (remap\$4 index\$3) near3 (instruction command) and (gps navigation\$3) near2 (device unit module component)	EPO; JPO; DERWENT	OR	ON	2008/10/25 14:58
S22	17053	(find\$3 determin\$3 locat\$3 figur\$3 calculat\$3)near2 (orientation up)	EPO; JPO; DERWENT	OR	ON	2008/10/25 15:02
S23	20376	(find\$3 determin\$3 locat\$3 figur\$3 calculat\$3)near2 (orientation down up)	EPO; JPO; DERWENT	OR	ON	2008/10/25 15:02
S24	130	(find\$3 determin\$3 locat\$3 figur\$3 calculat\$3)near2 (orientation down up) same (gps navigational)	EPO; JPO; DERWENT	OR	ON	2008/10/25 15:02
S25	12	(find\$3 determin\$3 locat\$3 figur\$3 calculat\$3)near2 (orientation down up) same (gps navigational) same display	EPO; JPO; DERWENT	OR	ON	2008/10/25 15:02

S26	8	((("5237654") or ("6686931") or ("6762773") or ("6917373") or ("7319743") or ("20040216059") or ("5973664") or ("6346972"))).PNL	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/10/25 15:12
S27	2603	701/213.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 15:22
S28	634	701/213.ccls. and buttons	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 15:22
S29	335	701/213.ccls. and buttons same display	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 15:22
S30	73	701/213.ccls. and buttons same display same (command instruction)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 15:22
S31	27865	(gpu navigat\$5) near2 (device unit module component apparatus)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 15:32
S32	16	(gpu navigat\$5) near2 (device unit module component apparatus) and (rock\$3 adj wheel)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 15:32
S33	17	(mouse input interface navigat\$5) near2 (device unit module component apparatus) and (rock\$3 adj wheel)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 16:28
S34	59	(mouse input interface navigat\$5) and (rock\$3 adj wheel)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 16:29
S35	1385	(mouse input interface navigat\$5) and (rock\$3 adj wheel super adj wheels rock\$3 adj dogbones dog adj bones super adj dogbones)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 16:30
S36	12	(mouse input interface navigat\$5) and (rock\$3 adj wheel super adj wheels rock\$3 adj dogbones dog adj bones super adj dogbones) and (customiz \$4 program\$5 remap\$5 reus\$4) near2 (button key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 16:31
S37	25537	(customiz\$4 program\$5 remap\$5 reus\$4) near2 (button key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:15

S38	3347	(customiz\$4 program\$5 remap\$5 reus\$4) near2 (button key) same interface	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:16
S39	1292	(customiz\$4 program\$5 remap\$5 reus\$4) near2 (button key) same interface same display	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:16
S40	24	(customiz\$4 program\$5 remap\$5 reus\$4) near2 (button key) same interface same display same rotat\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:16
S41	36	(customiz\$4 program\$5 remap\$5 reus\$4 reset\$5) near2 (button key) same interface same display same rotat\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:24
S42	20059	(customiz\$4 program\$5 remap\$5 reus\$4 reset\$5) adj (button key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:25
S43	7972	(customiz\$4 program\$5 remap\$5 reus\$4 reset\$5) adj (button key) and rotat \$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:26
S44	3854	(customiz\$4 program\$5 remap\$5 reus\$4 reset\$5) adj (button key) and rotat \$4 same (up down right left)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:26
S45	400	(customiz\$4 program\$5 remap\$5 reus\$4 reset\$5) adj (button key) and rotat \$4 same (up down right left) same orientat\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:26
S46	30	(customiz\$4 program\$5 remap\$5 reus\$4 reset\$5) adj (button key) and rotat \$4 same (up down right left) same orientat\$3 same (computer pda handheld)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:27
S47	0	logical\$2 near2 (customiz \$4 program\$5 remap\$5 reus\$4 reset\$5) adj (button key) and rotat\$4 same (up down right left) same orientat\$3 same (computer pda handheld)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:36

S48	0	logical\$2 near4 (customiz \$4 program\$5 remap\$5 reus\$4 reset\$5) adj (button key) and rotat\$4 same (up down right left) same orientat\$3 same (computer pda handheld)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:36
S49	22	logical\$2 near4 (customiz \$4 program\$5 remap\$5 reus\$4 reset\$5) adj (button key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:36
S50	5	logical\$2 near4 (customiz \$4 program\$5 remap\$5 reus\$4 reset\$5) adj (button key) and (mouse mice)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:40
S51	57	logical\$2 near4 (customiz \$4 program\$5 remap\$5 reus\$4 reset\$5) adj3 (button key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:40
S52	63	logical\$2 near4 (configur \$4 customiz\$4 program\$5 remap\$5 reus\$4 reset\$5) adj3 (button key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:40
S53	44	logical\$2 near4 (configur \$4 customiz\$4 program\$5 remap\$5 reus\$4 reset\$5) adj2 (button key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:41
S54	70218	(mouse mice) same (button key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:43
S55	53145	(mouse mice) with (button key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:44
S56	824	(mouse mice) with (button key) with optical	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:44
S57	50	(mouse mice) with (button key) with optical with (configur\$4 map\$5 customiz\$3 program\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:44
S58	117	(mouse mice input adj device) with (button key) with optical with (configur \$4 map\$5 customiz\$3 program\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:52
S59	19	(mouse mice input adj device) with (configur\$4 map\$5 customiz\$3 program\$5)adj4 (button key) with optical	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:53

S60	1843	(rotatable rotat\$1able) near2 display	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:55
S61	548	(rotatable rotat\$1able) adj display	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:56
S62	21	(rotatable rotat\$1able) adj display with (button key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 17:56
S63	2391	map\$5 adj (button key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 18:01
S64	2	logically adj map\$5 adj (button key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 18:01
S65	457	logical adj (button key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 18:03
S66	59	logical adj (button key) same (input gui mouse stylus)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 18:03
S67	5	(US-20030044000-\$ or US- 20040080487-\$).did. or (US-6741233-\$ or US- 6686931-\$ or US-6505055- \$).did.	US-PGPUB; USPAT	OR	ON	2008/10/25 18:25
S68	1582	(button key) near2 (shortcut remap\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:15
S69	76	(button key) near2 (shortcut remap\$4) same (handheld hand adj held pda laptop)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:15
S70	52	(button key) near2 (shortcut remap\$4) same (handheld hand adj held pda laptop) same (display screen)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:15
S71	18	(button key) near2 (shortcut remap\$4) same (handheld hand adj held pda laptop) same (display screen) and orientation	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:15
S72	19	(button key) near2 (shortcut remap\$4) same (handheld hand adj held pda laptop cell adj phone cellphone cell\$1 phone wireless) same (display screen) and orientation	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:17

S73	0	logical\$2 near5 (button key) near2 (shortcut remap \$4) same (handheld hand adj held pda laptop cell adj phone cellphone cell \$1phone wireless) same (display screen) and orientation	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:21
S74	5	logical\$2 near5 (button key) near2 (shortcut remap \$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:21
S75	260	logical\$2 near5 (button key) with interface	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:21
S76	68	logical\$2 near5 (button key) with interface same2 display	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:22
S77	7	logical\$2 near5 (button key) with interface same2 display same2 orient\$5	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:22
S78	4537	logical\$2 near5 (button key thumbwheel rock\$3 adj (dog adj bone dogbone) super adj dogbone rock\$3 adj dogbone rock\$3 adj wheel super adj wheel)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:25
S79	915	logical\$2 near5 (button key thumbwheel rock\$3 adj (dog adj bone dogbone) super adj dogbone rock\$3 adj dogbone rock\$3 adj wheel super adj wheel) same (UP DOWN PREV NEXT HOME)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:25
S80	11	logical\$2 near5 (button key thumbwheel rock\$3 adj (dog adj bone dogbone) super adj dogbone rock\$3 adj dogbone rock\$3 adj wheel super adj wheel) same (UP DOWN PREV NEXT HOME) same (input interface navigat\$3) near2 (mouse pen keypad)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:27
S81	141	(determin\$3 calculat\$3 find \$3) near2 display adj2 orientation	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:31
S82	0	(determin\$3 calculat\$3 find \$3) near2 display adj2 orientation same2 logical adj3 (button key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:31

S83	0	(determin\$3 calculat\$3 find \$3) near2 display adj2 orientation and logical adj3 (soft\$1key soft adj key button key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:32
S84	0	(determin\$3 calculat\$3 find \$3) near5 display adj2 orientation and logical adj3 (soft\$1key soft adj key button key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:32
S85	6	(determin\$3 calculat\$3 find \$3) near5 display near5 orientation and logical adj3 (soft\$1key soft adj key button key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:32
S86	6	(determin\$3 calculat\$3 find \$3) near5 (handheld hand adj held pda display) near5 orientation and logical adj3 (soft\$1key soft adj key button key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:34
S87	6	(determin\$3 calculat\$3 find \$3) near5 (phone handheld hand adj held pda display) near5 orientation and logical adj3 (soft\$1key soft adj key button key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:34
S88	6	(determin\$3 calculat\$3 find \$3) near5 (phone handheld hand adj held pda display) with orientation and logical adj3 (soft\$1key soft adj key button key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:35
S89	7	(determin\$3 calculat\$3 find \$3) with (phone handheld hand adj held pda display) with orientation and logical adj3 (soft\$1key soft adj key button key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:35
S90	12	(determin\$3 calculat\$3 find \$3) with (phone handheld hand adj held pda display) with orientation and logical adj5 (soft\$1key soft adj key button key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:35
S91	3290	(determin\$3 calculat\$3 find \$3) with (phone handheld hand adj held pda display) with orientation	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:37

S92	2005	(determin\$3 calculat\$3 find \$3) near3 orientation with (phone handheld hand adj held pda display)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:37
S93	6	(determin\$3 calculat\$3 find \$3) near3 orientation with (phone handheld hand adj held pda display) same (physical logical) near2 (button key softkey soft adj key soft adj button)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:38
S94	6	(determin\$3 calculat\$3 find \$3) near3 orientation with (personal adj (device unit module) phone handheld hand adj held pda display) same (physical logical) near2 (button key softkey soft adj key soft adj button)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:39
S95	6	(determin\$3 calculat\$3 find \$3) with (tilt orientation) with (personal adj (device unit module) phone handheld hand adj held pda display) same (physical logical) near2 (button key softkey soft adj key soft adj button)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:40
S96	7	(determin\$3 calculat\$3 find \$3) same (tilt orientation) same (personal adj (device unit module) phone handheld hand adj held pda display) same (physical logical) near2 (button key softkey soft adj key soft adj button)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:40
S97	7	(determin\$3 calculat\$3 find \$3) same (tilt orientation) same (personal adj (device unit module) phone handheld hand adj held pda display) same (physical logical) near2 (button key softkey soft adj key soft adj button)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:40

S98	167	(determin\$3 calculat\$3 find \$3) same (tilt orientation) same (personal adj (device unit module) phone handheld hand adj held pda display) same (physical logical) same2 (button key softkey soft adj key soft adj button)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:41
S99	1569	(determin\$3 calculat\$3 find \$3) same2 (tilt orientation) same2 (personal adj (device unit module) phone handheld hand adj held pda display) same2 (physical logical) same2 (button key softkey soft adj key soft adj button)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:42
S100	1007	(determin\$3 calculat\$3 find \$3) same2 (tilt orientation) same2 (personal adj (device unit module) phone handheld hand adj held pda display) same2 (physical logical) same2 (button key softkey soft adj key soft adj button) same2 (mouse interface gui navigating)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:43
S101	47	(pda laptop personal adj (device apparatus module) phone wireless) with (tilt orientation) near5 detection	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 19:44
S102	7	(US-20030044000-\$ or US-20040080487-\$ or US-20030148772-\$).did. or (US-6741233-\$ or US-6686931-\$ or US-6505055-\$ or US-5758267-\$).did.	US-PGPUB; USPAT	OR	ON	2008/10/25 20:09
S103	1	S102 and transpose	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 20:09
S104	46587	(keyboard key button) near3 (shortcut map\$4 command)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 20:20
S105	5829	(keyboard key button) near3 (shortcut map\$4 command) with (thumbwheel mouse pen stylus)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 20:20

S106	15	logical\$2 near3(keyboard key button) near3 (shortcut map\$4 command) with (thumbwheel mouse pen stylus)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 20:21
S107	19	logical\$2 with (keyboard key button) near3 (shortcut map\$4 command) with (thumbwheel mouse pen stylus)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 20:22
S108	23	logical\$2 with (keyboard key button) near5 (shortcut map\$4 command) with (thumbwheel mouse pen stylus)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 20:22
S109	92	logical\$2 with (keyboard key button) same (pda mobile adj device wireless adj device laptop handheld adj device)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 20:24
S110	6	logical\$2 with (keyboard key button) same (pda mobile adj device wireless adj device laptop handheld adj device) same2 (tilt orientation)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 20:24
S111	84	(programm\$4 map\$5)with (soft adj key key button) same (pda mobile adj device wireless adj device laptop handheld adj device) same2 (tilt orientation)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/25 20:26
S112	1653	(key button keypad keyboard) near5 (re\$1map \$4 re\$1program\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/26 10:57
S113	69	(key button keypad keyboard) near5 (re\$1map \$4 re\$1program\$4) same (handheld mobile pda laptop)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/26 10:57
S114	4	(key button keypad keyboard) near5 (re\$1map \$4 customiz\$4 program\$5 re\$1program\$5) same (handheld mobile pda laptop) same smart with (display screen)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/26 11:17

S115	28	(key button keypad keyboard) near5 (re\$1map\$4 customiz\$4 program\$5 re\$1program\$5) same (handheld mobile pda laptop) same (orientation tilt smart) with (display screen)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/26 11:18
S116	36	(key button keypad keyboard) near5 (re\$1map\$4 customiz\$4 program\$5 re\$1program\$5) same (handheld mobile pda laptop) same (orientation rotat\$5 tilt smart) with (display screen)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/26 11:18
S117	1	(key button keypad keyboard) near5 (re\$1mappable remappable customizable programmable re\$1programmable) same (handheld mobile pda laptop) same (orientation rotat\$5 tilt smart) with (display screen)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/26 11:37
S118	15	(US-20030044000-\$ or US-20040080487-\$ or US-20030148772-\$ or US-20030107555-\$ or US-20030073462-\$ or US-20020151327-\$ or US-20040100441-\$ or US-20040026136-\$ or US-20020198029-\$).did. or (US-6741233-\$ or US-6686931-\$ or US-6505055-\$ or US-5758267-\$ or US-7075520-\$ or US-7230605-\$).did.	US-PGPUB; USPAT	OR	ON	2008/10/26 14:07
S119	2	S118 and (landscape portrait)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/26 14:07
S120	6	S118 and orientation with display	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/26 14:10

10/26/2008 5:04:11 PM

C:\Documents and Settings\mmcdowell1\My...91\EAST\SearchHistory.10769691_AccessibleVersion.htm (12 of 12)10/26/2008 5:04:17 PM